

### Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010 Issue date: 11/21/2022 Revision date: 11/21/2024 Version: 1.1

### **SECTION 1: Identification**

#### **1.1. Product identifier**

Product form Trade name Type of product Product code Product group : Mixture

- : Solar panel glass cleaner
- : Glass cleaner, Multi surface cleaner
- : SH1589
- : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

:

#### Use of the substance/mixture

#### 1.3. Supplier's details

#### Manufacturer

Shield Chemicals (Pty) Ltd 9 London Rd Apex P.O. Box 1939 1501 Benoni – Gauteng South Africa T (011) 421 7111 Contact: Jayson Clark

#### 1.4. Emergency telephone number

Emergency number

: (011) 421 7111

SECTION 2: Hazards identification	
2.1. Classification of the substance or mix	xture
Classification according to the United Nations of Flammable liquids Not classified Skin corrosion/irritation, Category 1 Serious eye damage/eye irritation, Category 1 Full text of H-statements: see section 16	GHS H314 H318
2.2. Label elements	
Labelling according to the United Nations GHS Hazard pictograms (GHS ZA)	
Signal word (GHS-ZA) Hazard statements (GHS ZA) Precautionary statements (GHS ZA)	<ul> <li>Danger</li> <li>H314 - Causes severe skin burns and eye damage</li> <li>P260 - Do not breathe dusts or mists.</li> <li>P264 - Wash hands, forearms and face thoroughly after handling.</li> <li>P280 - Wear eye protection, protective clothing, protective gloves.</li> <li>P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.</li> <li>IF INHALED: Remove person to fresh air and keep comfortable for breathing.</li> <li>P305+P354+P338 - IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P316 - Get emergency medical help immediately.</li> <li>P317 - Get medical help.</li> <li>P321 - Specific treatment (see on this label).</li> <li>P363 - Wash contaminated clothing before reuse.</li> </ul>

#### Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

P405 - Store locked up.

P501 - Dispose of contents and container to a hazardous or special waste collection point.

#### 2.3. Other hazards

Adverse physicochemical, human health and environmental effects

: Causes severe skin burns and eye damage, Causes serious eye damage.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
2-Butoxyethanol	-	1.0 - 5.0	Flam. Liq. Not classified Acute Tox. 4 (Oral), H302 Acute Tox. Not classified (Dermal) Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Acute Not classified
2-propanol	CAS-No.: 67-63-0	1.0 - 2.0	Flam. Liq. 2, H225 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Eye Irrit. 2A, H319 STOT SE 3, H336 Asp. Tox. Not classified Aquatic Acute Not classified

SECTION 4: First aid measures	
4.1. Description of first aid measures	i de la constante d
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	<ul> <li>Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.</li> </ul>
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and e	ffects, both acute and delayed
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	Water spray, Dry powder, Foam, Carbon dioxide,

# Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

5.2. Special hazards arising from the substance or mixture		
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	
5.3. Advice for firefighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective ec	quipment and emergency procedures	
No additional information available		
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe vapours.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Avoid release to the environment.		

6.3. Methods and material for co	ontainment and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe vapours. Wear personal protective equipment.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities

Storage conditions

: Store locked up. Store in a well-ventilated place. Keep cool.

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

2-propanol (67-63-0)	
South Africa - Occupational Exposure Limits (Airborne Pollutants)	
Local name	Isopropyl alcohol (Propan-2-ol)
OEL TWA	980 mg/m <sup>3</sup>
OEL TWA [ppm]	400 ppm
OEL STEL	1225 mg/m <sup>3</sup>
OEL STEL [ppm]	500 ppm
Regulatory reference	Government Notice No. R 904

#### Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

8.2. Appropriate engineering controls			
	8 2 Appropriate	engineering	controls

# Appropriate engineering controls : Ensure good ventilation of the work station. Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection Eye protection

Skin and body protection Respiratory protection : Protective gloves

- : Safety glasses
- : Wear suitable protective clothing
- : In case of insufficient ventilation, wear suitable respiratory equipment

#### Personal protective equipment symbol(s):



#### 8.4. Exposure limit values for the other components

No additional information available

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state Appearance Colour Odour Odour threshold pH pH solution Relative evaporation rate (butylacetate=1) Relative evaporation rate (ether=1) Melting point Freezing point Freezing point Flash point Auto-ignition temperature Decomposition temperature Decomposition temperature Flammability Vapour pressure Vapour pressure at 50°C Relative density Relative density of saturated gas/air mixture Density Relative gas density Solubility Partition coefficient n-octanol/water (Log Pow) Partition coefficient n-octanol/water (Log Kow) Viscosity, kinematic Viscosity, dynamic Explosive properties Oxidising properties Explosive limits Lower explosion limit	<ul> <li>Liquid</li> <li>Liquid.</li> <li>Blue.</li> <li>characteristic.</li> <li>No data available</li> <li>9.5 – 11.5</li> <li>No data available</li> <li>9.5 – 11.5</li> <li>No data available</li> </ul>
Upper explosion limit	: No data available : No data available

#### 9.2. Other information

No additional information available

#### Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

**10.3. Possibility of hazardous reactions** 

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### **10.5. Incompatible materials**

No additional information available

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological infor	rmation
11.1. Information on toxicological ef	ffects
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	: Not classified : Not classified : Not classified
2-Butoxyethanol	
LD50 oral rat	≈ 470 mg/kg
LD50 dermal rabbit	≈ 220 mg/kg
2-propanol (67-63-0)	
LD50 oral rat	5840 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	16400 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat [ppm]	> 10000 ppm (Equivalent or similar to OECD 403, 6 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
Skin corrosion/irritation	: Causes severe skin burns. pH: 9.5 – 11.5
Serious eye damage/irritation	: Causes serious eye damage. pH: 9.5 – 11.5
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity STOT-single exposure	: Not classified : Not classified
2-propanol (67-63-0)	
STOT-single exposure	Not available
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

# Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

2-Butoxyethanol	
Animal studies and expert judgment for classification	False
2-propanol (67-63-0)	
Animal studies and expert judgment for classification	False

# **SECTION 12: Ecological information**

12.1. Toxicity	
Hazardous to the aquatic environment, short-term : (acute)	Before neutralisation, the product may represent a danger to aquatic organisms. Not classified Not classified
2-Butoxyethanol	
LC50 - Fish [1]	≈ 2000 g/l
2-propanol (67-63-0)	
LC50 - Fish [1]	9640 – 10000 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow- through system, Fresh water, Experimental value, Lethal)
Partition coefficient n-octanol/water (Log Pow)	0.05 (Weight of evidence approach, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.185 – 0.541 (log Koc, SRC PCKOCWIN v2.0, Calculated value)

### 12.2. Persistence and degradability

Solar panel glass cleaner		
Persistence and degradability No additional information available		
2-propanol (67-63-0)		
Persistence and degradability	Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	1.19 g O <sub>2</sub> /g substance	
Chemical oxygen demand (COD)	2.23 g O <sub>2</sub> /g substance	
ThOD	2.4 g O <sub>2</sub> /g substance	

## 12.3. Bioaccumulative potential

Solar panel glass cleaner	
Bioaccumulative potential No additional information available	
2-propanol (67-63-0)	
Partition coefficient n-octanol/water (Log Pow)	0.05 (Weight of evidence approach, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.185 – 0.541 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
12.4. Mobility in soil	-

Solar panel glass cleaner	
Mobility in soil	No additional information available

### Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

2-propanol (67-63-0)		
Surface tension	0.021 N/m (25 °C)	
Partition coefficient n-octanol/water (Log Pow)	0.05 (Weight of evidence approach, 25 °C)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.185 – 0.541 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Highly mobile in soil.	
12.5. Other adverse effects		
Ozone :	Not classified	

Other adverse effects

: No additional information available

SECTION 13: Disposal considerations	
13.1. Disposal methods	

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

### **SECTION 14: Transport information**

#### In accordance with SANS / IMDG / IATA

SANS	IMDG	ΙΑΤΑ
14.1. UN number		
Not regulated for transport		
14.2. Proper Shipping Name		
Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)	·	
Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No
No supplementary information available	<u> </u>	

#### 14.6. Special precautions for user

#### SANS

No data available

#### IMDG

No data available

#### ΙΑΤΑ

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

#### SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

No additional information available

#### SECTION 16: Other information

Issue date	: 21/11/2022
Revision date	: 21/11/2024

Full text of H-statements	
H225	Highly flammable liquid and vapour
H301	Toxic if swallowed
H302	Harmful if swallowed
H303	May be harmful if swallowed
H311	Toxic in contact with skin
H313	May be harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H330	Fatal if inhaled
H332	Harmful if inhaled
H336	May cause drowsiness or dizziness
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.